0300

Docket No.: PB-0017 US

I here is certify that this correspondence is being deposited with the States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231

on ____ By: Printed:

Debbie Ellis

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Walker et al.

Title:

CELL DIFFERENTIATION cDNAS INDUCED BY RETINOIC ACID

Serial No.:

To Be Assigned

Filing Date:

January 18, 2002

Examiner:

To Be Assigned

Group Art Unit:

To Be Assigned

Commissioner for Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §§ 1.56, 1.97 and 1.98, Applicants wish to call to the attention of the Examiner the enclosed "List of References Cited by Applicants." The right is reserved to antedate any item in accordance with standard procedure.

Citation of the documents is not to be construed as an admission that the documents are necessarily prior art with respect to the instant invention. This submission is understood to complement the results of the Examiner's own independent search. Citation of the documents shall not be construed as a representation that a search has been made or that the cited items are inclusive of all the relevant and material citations that may be available publicly. Any NCBI report included herein may not have an accurate date for prior art purposes. Some of the documents may have markings thereon. No significance is meant to be attached to the markings.

Applicants respectfully request that the cited documents be considered by the Examiner and that an initialed copy of the List of References Cited by Applicants be returned to Applicants.

It is believed that this disclosure complies with 37 CFR §§ 1.56, 1.97 and 1.98 and the Manual

91070

Docket No.: PB-0017 US

of Patent Examining Procedures § 609. If for some reason the Examiner considers otherwise, please telephone the undersigned.

Applicants believe that no fee is due with this paper. However, if the Commissioner determines that a fee is necessary, the Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No. **09-0108**.

If there are any questions regarding the above, the Examiner is invited to call the undersigned at 650-855-0555.

Respectfully submitted,

INCYTE GENOMICS, INC.

Date: Thung 12, 2002

Lynn E. Murry, Ph.D.

Reg. No. 42,918

Direct Dial Telephone: (650) 845-4159

3160 Porter Drive

Palo Alto, California 94304

Phone: (650) 855-0555

Fax: (650) 845-4166

U.S. Depart	ment	of Commerce,	Patent and Tr	ademark Office	Atty Do	cket No.	Serial N	lo.
					PB-0017	US	To Be As	signed
DE	IST O	F REFERENCES	CITED BY APPL	ICANTS	Applica	nt(s)		
10 1 F W	<u> </u>		ets if necessa		Walker	et al.		
MAR 0 1 2002	**				Filing	Date	Group	
-	2				January	18, 2002	To Be As	signed
FRADEN			U.S.	Patent Documents				
*Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing D If Appro	
			Foreign	n Patent Document	s		T	
					· 		Trans	ation
		Document	Date	Country	Class	Subclass	Yes	No
	TO	HER ART (I	ncluding Auth	nor, Title, Date,	Pertinen	t Pages, Et	.c.)	
	2	the cellular protein duri 8817 (1989)	r retinoic acting mouse embrace on the contract on the contract of the contrac	ation of the cell	n and the . Natl. A	e cellular inoid-bindin	retinol-bi USA, 86:88 ng proteir	nding
		their messer	nger ribonucl	eic acids during by retinoic acid"	P19 embry	yonal carcin	noma cell	
	3	Hansen, L.A therapy", <u>C</u>	. et al., "Re arcinogenesis	tinoids in chemop , 21:1271-1279 (2	revention (000)ab	n and diffe	rentiation	1
	4	receptors a activated p	nd potentiate	arwal, "All-trans s TNF-induced act apoptosis in huma tract only.	ivation	of nuclear	factors-ka	appaB,
	5	alterations	. et al., "Re in lung canc tract only.	tinoic acid recep er precursor lesi	otor and ons", <u>Ca</u>	retinoid X ncer Res.,	receptor 60:2869-28	375
	6	De Coster, therapy", <u>J</u>	R. et al., "P . Steroid Bio	450-dependent enz chem. Mol. Biol.,	zymes as 56:133-	targets for 143 (1996)-	prostate -abstract	cancer only.
	7	Krekels, M. in rat Dunn only.	D. et al., "A ing R3327G pr	nalysis of the ox ostate tumors", <u>I</u>	kidative Prostate,	catabolism 29:36-41 (of retino 1996)ab	ic acid stract
Examiner			Date Consid	dered				
*EXAMINER:	Ini	tial if refer	ence consider	ed, whether or no	ot citati	on is in co	nformance Include	with

OTHER	11117 /	Including maches, 12020, baco, 1020110110 10300, Com,
ØF.	8	Zhang, D. et al., "Retinoids and ovarian cancer", <u>J. Cell. Physiol.</u> , 185:1-20 (2000)abstract only.
0	7 3	White, J.A. et al., "Identification of the Retinoic Acid-inducible All-trans-retinoic Acid 4-Hydroxylase", <u>J. Biol. Chem.</u> , 271:29922-29927 (1996).
MAR O THAC	100	White, J.A. et al., "Identification of the human cytochrome P450, P450RAI-2, which is predominantly expressed in the adult cerebellum and is responsible for all-trans-retinoic acid metabolism", PNAS, 97:6403-6408 (2000).
	11	Loudig, O. et al., "Cytochrome P450RAI(CYP26) promoter: a distinct composite retinoic acid response element underlies the complex regulation of retinoic acid metabolism", Mol. Endocrinol., 14:1483-1497 (2000) abstract only.
	12	Marikar, Y. et al., "Retinoic acid receptors regulate expression of retinoic acid 4-hydroxylase that specifically inactivates all-trans retinoic acid in human keratinocyte HaCaT cells", J. Invest. Dermatol., 111: 434-439 (1998)abstract only.
	13	Sonneveld, E. et al., "Retinoic acid hydroxylase (CYP26) is a key enzyme in neuronal differentiation of embryonal carcinoma cells", Dev. Biol. , 213:390-404 (1999)abstract only.
	14	Sonneveld, E. et al., "Human retinoic acid (RA) 4-hydroxylase (CYP26) is highly specific for all-trans-RA and can be induced through RA receptors in human breast and colon carcinoma cells", Cell Growth Differ., 9:629-637 (1998)abstract only.
	15	Bielinska, M. and D.B. Wilson, "Induction of yolk sac endoderm in GATA-4-deficient embryoid bodies by retinoic acid", Mech. Dev., 65:43-54 (1997)abstract only.
	16	Clifford, J.L. et al., "Retinoid receptor-dependent amd -independent effects of N-(4-hydroxyphenyl)retinamide in F9 embryonal carcinoma cells", Cancer Res. , 59:14-18 (1999)abstract only.
	17	Ueno, M. et al., "Retinoic acid-induced cell growth inhibition and differentiation in testicular carcinoma cells in culture", <u>Hum. Cell</u> , 10:151-158 (1997)abstract only.
	18	Bavik, C.O. et al., "The retinal pigment epithelial membrane receptor for plasma retinol-binding protein. Isolation and cDNA cloning of the 63-kDa protein", J. Biol. Chem., 268:20540-20546 (1993)abstract only.
	19	Johansson, S. et al., "Retinoid binding proteins in mouse yolk sac and chorio-allantoic placentas", Anat. Embryol. , 195:483-490 (1997)abstract only.
	20	De Laurenzi, V. et al., "p63 and p73 transactivate differentiation gene promoters in human keratinocytes", <u>Biochem. Biophys. Res. Commun.</u> , 273:342-346 (2000)abstract only.
	21	Levrero, M. et al., "The p53/p63/p73 family of transcription factors: overlapping and distinct functions", <u>J. Cell Sci.</u> , 113:1661-1670 (2000)abstract only.
Examiner		Date Considered
*EXAMINER	: Init	ial if reference considered, whether or not citation is in conformance with

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

	OTHE	R ART (Including Author, Title, Date, Pertinent Pages, Ecc.)
PE veri	22	Imataka, H. et al., "A new translation regulator with homology to eukaryotic translation initiation factor 4G", EMBO J. , 16:817-825 (1997) abstract only.
MAR O T ADEMAS	23	Lebel, S. and Y. Raymond, "Lamin A is not synthesized as a larger precursor polypeptide", <u>Biochem. Biophys. Res. Commun.</u> , 149:417-423 (1987)abstract only.
	24	Mattia, E. et al., "Induction of nuclear lamins A/C during in vitro-induced differentiation of F9 and P19 embryonal carcinoma cells", Exp. Cell Res. , 203:449-455 (1992)abstract only.
	25	Okumura, K. et al., "Identification of a novel retinoic acid-responsive element within the lamin A/C promoter", <u>Biochem. Biophys. Res. Commun.</u> , 269:197-202 (2000)abstract only.
	26	Eriksson, U. et al., "Increased levels of several retinoid binding proteins resulting from retinoic acid-induced differentiation of F9 cells", Cancer Res., 46:717-722 (1986)abstract only.
	27	Hanada, M. et al., "Regulation of Bcl-2 oncoprotein levels with differentiation of human neuroblastoma cells", Cancer Res., 53:4978-4986 (1993)abstract only.
	28	Lonergan, M. et al., "A regulatory element in the beta 2-microglobulin promoter identified by in vivo footprinting", Mol. Cell Biol., 13:6629-6639 (1993)abstract only.
	29	Segars, J.H. et al., "Retinoic acid induction of major histocompatibility complex class I genes in NTera-2 embryonal carcinoma cells involves induction of NF-Kappa B (p50-p65) and retinoic acid receptor beta-retinoid X receptor beta heterodimers", Mol. Cell Biol., 13:6157-6169 (1993) abstract only.
	30	Beckman, M. and K. Iverfeldt, "Increased gene expression of beta-amyloid precursor protein and its homologues APLP1 and APLP2 in human neuroblastoma cells in response to retinoic acid", Neurosci . Lett., 221:73-76 (1997) abstract only.
	31	Maemura, M. et al., "Serum concentration of pyridinoline cross-linked carboxyterminal telopeptide of type I collagen in patients with metastatic breast cancer", Oncol. Rep., 7:1333-1338 (2000)abstract only.
	32	Amenta, P.S. et al., "Type XV collagen in human colonic adenocarcinomas has a different distribution than other basement membrane zone proteins", <u>Hum. Pathol.</u> , 31:359-366 (2000)abstract only.
	33	Horie, S. et al., "Large macrophage colony-forming cells identical to high proliferative potential colony-forming cells in peripheral blood of patients with collagen vascular diseases: high occurrence among patients with systemic sclerosis and dermatomyositis", <u>J. Rheumatol.</u> , 27:2378-2381 (2000)abstract only.
	34	Yasui, H. et al., "Decreased protein C activation is associated with abnormal collagen turnover in the intraalveolar space of patients with interstitial lung disease", Clin. Appl. Thromb. Hemost., 6:202-205 (2000) abstract only.
Examiner	Α	Date Considered
		isl if reference considered whether or not citation is in conformance with

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

PEVC	35	Mitsiadis, T.A. et al., "Delta-notch signaling in odontogenesis: correlation with cytodifferentiation and evidence for feedback regulation", Dev. Biol. , 204:420-431 (1998)abstract only.
10 N 1 2002 &	36	Apelqvist, A. et al., "Notch signalling controls pancreatic cell differentation", Nature, 400:877-881 (1999)abstract only.
TRADEMART	37	Singh, N. et al., "Expression of notch receptors, notch ligands, and fringe genes in hematopoisis", Exp. Hematol. , 28:527-534 (2000)abstract only.
	38	Baron, W. et al., "PDGF and FGF-2 signaling in oligodendryocyte progenitor cells: regulation of proliferation and differentiation by multiple intracellular signaling pathways", Mol. Cell Neurosci. , 15:314-329 (2000)abstract only.
	39	Liebeskind, A. et al., "Retinoic acid stimulates immature lung fibroblast growth via a PDGF-mediated autocrine mechanism", <u>Am. J. Physiol. Lung Cell Mol. Physiol.</u> , 279:L81-L90 (2000)abstract only.
	40	Noll, E. and R.H. Miller, "Regulation of oligodendrocyte differentiation: a role for retinoic acid in the spinal cord", Development , 120:649-660 (1994)abstract only.
	41	Eisenberg, L.M. and R.R. Markwald, "Molecular regulation of atrioventricular valvuloseptal", Circ. Res. , 77:1-6 (1995)abstract only.
	42	Miosge, N. et al., "The extracellular matrix proteins fibulin-1 and fibulin-2 in the early human embryo", <a <a="" acid="" and="" asymmetry",="" cardiac="" directs="" early="" expression="" href="Dev. Biol." laterality="" markers="" of="" precardiac="" retinoic="" the="">Dev. Biol. , 182:162-171 (1997)abstract only.
	44	Gabbitas, B. and E. Canalis, "Retinoic acid regulates the expression of insulin-like growth factors I and II in osteoblasts", <u>J. Cell. Physiol.</u> , 172:253-264 (1997)abstract only.
	45	Tournier, S. et al., "Retinoylation of the type II cAMP-binding regulatory subunit of cAMP-dependent protein kinase is increased in psoriatic human fibroblasts", <u>J. Cell Physiol.</u> , 167:196-203 (1996)abstract only.
	46	Hanspal, M. et al., "Molecular identification and functional characterization of a novel protein that mediates the attachment of erythroblasts to macrophages", <u>Blood</u> , 92:2940-2950 (1998)abstract only.
	47	Drivas, G.T. et al., "Identification and characterization of a human homolog of the Schizosaccharomyces pombe ras-like gene YPT-3", Oncogene, 6:3-9 (1991)abstract only.
	48	Lai, F. et al., "Molecular analysis of mouse Rabllb: a new type of mammalian YPT/Rab protein", <u>Genomics</u> , 22:610-616 (1994)abstract only.
	49	Peehl, D.M. et al., "Altered growth regulation and loss of response to retinoic acid accompany tumorigenic transformation of prostatic cells", Anticancer Res. , 19:3857-3864 (1999)abstract only.
Examiner		Date Considered

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

	50	Bouverat, B.P. et al., "Expression of rab GTP-binding proteins during oligodendrocyte differentiation in culture", <u>J. Neurosci. Res.</u> , 59:446-453 (2000)abstract only.
0 1 2002	51	Encinas, M. et al., "Extracellular-regulated kinases and phosphatidylinositol 3-kinase are involved in brain-derived neurotrophic factor-mediated survival and neuritogenesis of the neuroblastoma cell line SH-SY5Y", J. Neurochem., 73:1409-1421 (1999)abstract only.
TRADEMARIE	52	Matsuzaki, T. et al., "Induction of erythroid differentiation by inhibition of Ras/ERK pathway in a friend murine leukemia cell line", Oncogene , 19:1500-1508 (2000)abstract only.
	53	Nguyen, D.H. et al., "Urokinase-type plasminogen activator stimulates the Ras/Extracellular signal-regulated kinase (ERK) signaling pathway and MCF-7 cell migration by a mechanism that requires focal adhesion kinase, Src, and Shc. Rapid dissociation of GRB2/Sps-Shc complex is associated with the transient phosphorylation of ERK in urokinase-treated cells", J. Biol. Chem., 275:19382-19388 (2000)abstract only.
	54	Hierck, B.P. et al., "Expression of the beta 4 integrin subunit in the mouse heart during embryonic development: retinoic acid advances beta 4 expression", Dev. Dyn. , 207:89-103 (1996)abstract only.
	55	Laurikainen, L. et al., "The expression of α6 and β4 integrin genes are differentially regulated by all-trans-retinoic acid (RA) in cultured human keratinocytes", Arch.Dermatol.Res. , 288:270-273 (1996).
	lf l	